Index of Authors

Adlerberth, I. *see* Nowrouzian, F.L.
Agrasar, A.T. *see* Guerra, N.P.
Aguilera, R.J. *see* Rajabi, L.
Ahn, C.-Y. *see* Kim, S.-G.
Albers, J. *see* Łoś, M.
Aldred, D. *see* Hope, R.
Alfi, D. *see* Samadpour, M.
Al-Harbi, A.H. & Uddin, M.N. Microbiological quality changes in the intestine of hybrid tilapia (*Oreochromis niloticus* × *Oreochromis aureus*) in fresh and frozen storage condition, 486
Araujo, M. *see* Deza, M.A.
Assas, N. *see* Ayed, L.
Austin, F.W. *see* Liu, D.
Avery, S.M., Walters, L.D. & Hutchison, M.L. Fate of *Escherichia coli* O157 and detection of *stx* phage during fermentation of maize, an animal feedstuff, 99
Ayed, L., Assas, N., Sayadi, S. & Hamdi, M. Involvement of lignin peroxidase in the decolourization of black olive mill wastewaters by *Geotrichum candidum*, 7
Aze, B. *see* Kahnert, A.

Bader, J.A., Shoemaker, C.A. & Klesius, P.H. Production, characterization and evaluation of virulence of an adhesion defective mutant of *Flavobacterium columnare* produced by β-lactam selection, 123
Ball, H.J. *see* Whan, L.
Beneduce, L. *see* Spano, G.
Benno, Y. *see* Kitahara, M.
Berg, J., Tom-Petersen, A. & Nybroe, O. Copper amendment of agricultural soil selects for bacterial antibiotic resistance in the field, 146
Berry, M.I. *see* Sawer, I.K.
Besra, G.S. *see* Waddell, S.J.
Beumer, R. *see* Picozzi, C.
Blohm, L. *see* Łoś, M.
Bonato, B. *see* Lleo, M.M.
Bonnet, M. & Montville, T.J. Acid-tolerant *Listeria monocytogenes* persist in a model food system fermented with nisin-producing bacteria, 237
Boum'handi, N. *see* El Marrakchi, A.
Bouzaine, T., Dauphin, R.D., Thonart, Ph., Urdaci, M.C. & Hamdi, M. Adherence and colonization properties of *Lactobacillus rhamnosus* TB1, a broiler chicken isolate, 391
Braikova, D. *see* Gousterova, A.
Bruheim, T. *see* Wasteson, Y.
Burow, L.C., Gobius, K.S., Vanselow, B.A. & Klieve, A.V. A lack of predatory interaction between rumen ciliate protozoa and Shiga-toxin producing *Escherichia coli*, 117
Butcher, P.D. *see* Waddell, S.J.

Cai, Q.-X. *see* Xue, J.-L.
de la Canal, L. *see* Regente, M.C.
Canepari, P. *see* Lleo, M.M.
Caramia, G. *see* Malacrinò, P.
Castro, L.P. *see* Guerra, N.P.
Cerpentier, J. *see* Cools, I.
Chen, G. *see* Guobin, S.
Chen, J. *see* Nie, W.
Chen, Y. *see* Yanagida, F.
Chen, Y.-S., Yanagida, F. & Shinohara, T. Isolation and identification of lactic acid bacteria from soil using an enrichment procedure, 195
Choi, A. *see* Kim, S.-G.
Christov, P. *see* Gousterova, A.
Chung, G.A. *see* Waddell, S.J.
Cools, I., Uyttendaele, M., Cerpentier, J., D'Haese, E., Nelis, H.J. & Debevere, J. Persistence of *Campylobacter jejuni* on surfaces in a processing environment and on cutting boards, 418
Côté, G.L. *see* Holt, S.M.
Coton, E. *see* Coton, M.
Coton, M., Laplace, J.M. & Coton, E. *Zymomonas mobilis* subspecies identification by amplified ribosomal DNA restriction analysis, 152
Courreges, C. *see* Rajabi, L.

D'Haese, E. *see* Cools, I.
Dalhammar, G. *see* Ottoson, J.
Dauphin, R.D. *see* Bouzaine, T.
Debevere, J. *see* Cools, I.
Decamp, O. *see* Makridis, P.
del Rio, M.L., Navas-Mendez, J., Gutierrez-Martin, C.B., Rodriguez-Barbosa, J.I. & Rodriguez-Ferri, E.F. Identification of *sul*I allele of dihydropteroate synthase by representational difference analysis in *Haemophilus parasuis* serovar 2, 436
Deza, M.A., Araujo, M. & Garrido, M.J. Inactivation of *Escherichia coli*, *Listeria monocytogenes*, *Pseudomonas aeruginosa* and *Staphylococcus aureus* on stainless steel and glass surfaces by neutral electrolysed water, 341
Diaz, P. *see* Ruiz, C.
Dinis, M.T. *see* Makridis, P.
Dmitrenok, P.S. *see* Sobolevskaya, M.P.
Douglas, C.W.I. *see* Kaewsrichan, J.
Dousset, X. *see* Pellé, E.
Drider, D. *see* Pellé, E.
Dromtorp, S.M. *see* Rudi, K.
Du, G. *see* Nie, W.

Index of Authors

Adlerberth, I. *see* Nowrouzian, F.L.
Agrasar, A.T. *see* Guerra, N.P.
Aguilera, R.J. *see* Rajabi, L.
Ahn, C.-Y. *see* Kim, S.-G.
Albers, J. *see* Łoś, M.
Aldred, D. *see* Hope, R.
Alfi, D. *see* Samadpour, M.
Al-Harbi, A.H. & Uddin, M.N. Microbiological quality changes in the intestine of hybrid tilapia (*Oreochromis niloticus* × *Oreochromis aureus*) in fresh and frozen storage condition, 486
Araujo, M. *see* Deza, M.A.
Assas, N. *see* Ayed, L.
Austin, F.W. *see* Liu, D.
Avery, S.M., Walters, L.D. & Hutchison, M.L. Fate of *Escherichia coli* O157 and detection of *stx* phage during fermentation of maize, an animal feedstuff, 99
Ayed, L., Assas, N., Sayadi, S. & Hamdi, M. Involvement of lignin peroxidase in the decolourization of black olive mill wastewaters by *Geotrichum candidum*, 7
Aze, B. *see* Kahnert, A.

Bader, J.A., Shoemaker, C.A. & Klesius, P.H. Production, characterization and evaluation of virulence of an adhesion defective mutant of *Flavobacterium columnare* produced by β-lactam selection, 123
Ball, H.J. *see* Whan, L.
Beneduce, L. *see* Spano, G.
Benno, Y. *see* Kitahara, M.
Berg, J., Tom-Petersen, A. & Nybroe, O. Copper amendment of agricultural soil selects for bacterial antibiotic resistance in the field, 146
Berry, M.I. *see* Sawer, I.K.
Besra, G.S. *see* Waddell, S.J.
Beumer, R. *see* Picozzi, C.
Blohm, L. *see* Łoś, M.
Bonato, B. *see* Lleo, M.M.
Bonnet, M. & Montville, T.J. Acid-tolerant *Listeria monocytogenes* persist in a model food system fermented with nisin-producing bacteria, 237
Boum'handi, N. *see* El Marrakchi, A.
Bouzaine, T., Dauphin, R.D., Thonart, Ph., Urdaci, M.C. & Hamdi, M. Adherence and colonization properties of *Lactobacillus rhamnosus* TB1, a broiler chicken isolate, 391
Braikova, D. *see* Gousterova, A.
Bruheim, T. *see* Wasteson, Y.
Burow, L.C., Gobius, K.S., Vanselow, B.A. & Klieve, A.V. A lack of predatory interaction between rumen ciliate protozoa and Shiga-toxin producing *Escherichia coli*, 117
Butcher, P.D. *see* Waddell, S.J.

Cai, Q.-X. *see* Xue, J.-L.
de la Canal, L. *see* Regente, M.C.
Canepari, P. *see* Lleo, M.M.
Caramia, G. *see* Malacrinò, P.
Castro, L.P. *see* Guerra, N.P.
Cerpentier, J. *see* Cools, I.
Chen, G. *see* Guobin, S.
Chen, J. *see* Nie, W.
Chen, Y. *see* Yanagida, F.
Chen, Y.-S., Yanagida, F. & Shinohara, T. Isolation and identification of lactic acid bacteria from soil using an enrichment procedure, 195
Choi, A. *see* Kim, S.-G.
Christov, P. *see* Gousterova, A.
Chung, G.A. *see* Waddell, S.J.
Cools, I., Uyttendaele, M., Cerpentier, J., D'Haese, E., Nelis, H.J. & Debevere, J. Persistence of *Campylobacter jejuni* on surfaces in a processing environment and on cutting boards, 418
Côté, G.L. *see* Holt, S.M.
Coton, E. *see* Coton, M.
Coton, M., Laplace, J.M. & Coton, E. *Zymomonas mobilis* subspecies identification by amplified ribosomal DNA restriction analysis, 152
Courreges, C. *see* Rajabi, L.

D'Haese, E. *see* Cools, I.
Dalhammar, G. *see* Ottoson, J.
Dauphin, R.D. *see* Bouzaine, T.
Debevere, J. *see* Cools, I.
Decamp, O. *see* Makridis, P.
del Rio, M.L., Navas-Mendez, J., Gutierrez-Martin, C.B., Rodriguez-Barbosa, J.I. & Rodriguez-Ferri, E.F. Identification of *sul*I allele of dihydropteroate synthase by representational difference analysis in *Haemophilus parasuis* serovar 2, 436
Deza, M.A., Araujo, M. & Garrido, M.J. Inactivation of *Escherichia coli*, *Listeria monocytogenes*, *Pseudomonas aeruginosa* and *Staphylococcus aureus* on stainless steel and glass surfaces by neutral electrolysed water, 341
Diaz, P. *see* Ruiz, C.
Dinis, M.T. *see* Makridis, P.
Dmitrenok, P.S. *see* Sobolevskaya, M.P.
Douglas, C.W.I. *see* Kaewsrichan, J.
Dousset, X. *see* Pellé, E.
Drider, D. *see* Pellé, E.
Dromtorp, S.M. *see* Rudi, K.
Du, G. *see* Nie, W.

El Marrakchi, A., Boum'handi, N. & Hamama, A. Performance of a new chromogenic plating medium for the isolation of *Listeria monocytogenes* from marine environments, 87
Elston, A. *see* Gocmen, D.
Elyakov, G.B. *see* Sobolevskaya, M.P.
Esaki, H. *see* Kawanishi, M.
Eschrich, K. *see* Kaetzke, A.
Everett, M.J. *see* Waddell, S.J.

Fadiel, A., Lithwick, S. & Naftolin, F. The influence of environmental adaptation on bacterial genome structure, 12
Fan, J. *see* Li, L.
Fauster, V. *see* Margesin, R.
Ferhan, M. *see* Rajoka, M.I.
Fonteyne, P.-A. *see* Margesin, R.
Ford, J.L. *see* Sawer, I.K.
Foschino, R. *see* Picozzi, C.
Fukamachi, T. *see* Sun, L.

Gao, Y.Y. *see* Han, J.R.
Garcia-Armisen, T., Lebaron, P. & Servais, P. β-D-glucuronidase activity assay to assess viable *Escherichia coli* abundance in freshwaters, 278
Garrido, M.J. *see* Deza, M.A.
Gasson, M.J. *see* Martínez-Cuesta, M.C.
George, M.R., John, K.R., Iyappan, T. & Jeyaseelan, M.J.P. Genetic heterogeneity among *Vibrio alginolyticus* isolated from shrimp farms by PCR fingerprinting, 369
Gerrard, J.A. *see* Low, F.L.
Gibson, K.J.C. *see* Waddell, S.J.
Giudici, A.M. *see* Regente, M.C.
Gobius, K.S. *see* Burow, L.C.
Gocmen, D., Elston, A., Williams, T., Parish, M. & Rouseff, R.L. Identification of medicinal off-flavours generated by *Alicyclobacillus* species in orange juice using GC–olfactometry and GC–MS, 172
Gołębniak, B. *see* Jeleń, H.H.
Goshev, I. *see* Gousterova, A.
Gousterova, A., Braikova, D., Goshev, I., Christov, P., Tishinov, K., Vasileva-Tonkova, E., Haertlé, T. & Nedkov, P. Degradation of keratin and collagen containing wastes by newly isolated thermoactinomycetes or by alkaline hydrolysis, 335
Grant, I.R. *see* Whan, L.
Grunwald, T. *see* Łoś, M.
Guerra, N.P., Macías, C.L., Agrasar, A.T. & Castro, L.P. Development of a bioactive packaging cellophane using Nisaplin® as biopreservative agent, 106
Guobin, S., Jianmin, X., Chen, G., Huizhou, L. & Jiayong, C. Biodesulfurization using *Pseudomonas delafieldii* in magnetic polyvinyl alcohol beads, 30
Gutierrez-Martin, C.B. *see* del Rio, M.L.

Haertlé, T. *see* Gousterova, A.
Hamama, A. *see* El Marrakchi, A.
Hamdi, M. *see* Ayed, L.
Hamdi, M. *see* Bouzaine, T.
Han, J.R., Zhao, W.J., Gao, Y.Y. & Yuan, J.M. Effect of oxidative stress and exogenous β-carotene on sclerotial differentiation and carotenoid yield of *Penicillium* sp. PT95, 412
Hanekamp, T. *see* Miller, K.W.
Heikinheimo, A. & Korkeala, H. Multiplex PCR assay for toxinotyping *Clostridium perfringens* isolates obtained from Finnish broiler chickens, 407
Heuvelink, A. *see* Picozzi, C.
Hintsche, R. *see* Łoś, M.
Holo, H. *see* Rudi, K.
Holt, S.M., Miller-Fosmore, C.M. & Côté, G.L. Growth of various intestinal bacteria on alternansucrase-derived oligosaccharides, 385
Hong, J. *see* Li, L.
Hope, R., Aldred, D. & Magan, N. Comparison of environmental profiles for growth and deoxynivalenol production by *Fusarium culmorum* and *F. graminearum* on wheat grain, 295
Huang, W. *see* Li, L.
Huang, W. *see* Wang, T.H.
Huizhou, L. *see* Guobin, S.
Hutchison, M.L. *see* Avery, S.M.

Im, W.-T. *see* Ten, L.N.
Inouye, K. *see* Matsumiya, Y.
Iqbal, M. & Saeed, A. Novel method for cell immobilization and its application for production of organic acid, 178
Ishihara, K. *see* Kawanishi, M.
Ivanova, E.P. *see* Sobolevskaya, M.P.
Iyappan, T. *see* George, M.R.

Jain, R.K. *see* Labana, S.
Jang, E.K. *see* Kim, C.H.
Jang, K.H. *see* Kim, C.H.
Jarosz, A. *see* Jeleń, H.H.
Jeleń, H.H., Krawczyk, J., Larsen, T.O., Jarosz, A. & Gołębniak, B. Main compounds responsible for off-odour of strawberries infected by *Phytophthora cactorum*, 255
Jentzsch, D. *see* Kaetzke, A.
Jeyaseelan, M.J.P. *see* George, M.R.

Jiang, P. *see* Li, L.
Jianmin, X. *see* Guobin, S.
Jiayong, C. *see* Guobin, S.
Jin, H.Z. *see* Lee, H.B.
Johannessen, G.S. *see* Wasteson, Y.
John, K.R. *see* George, M.R.
Jung, H.S. *see* Lee, H.B.

Kaetzke, A., Jentzsch, D. & Eschrich, K. Quantification of *Microthrix parvicella* in activated sludge bacterial communities by real-time PCR, 207
Kaewsrichan, J., Douglas, C.W.I. & Teanpaisan, R. Characterization of minimal bacteriocin operon from *Prevotella nigrescens* ATCC 25261, 138
Kahnert, A., Seiler, P., Stein, M., Aze, B., McDonnell, G. & Kaufmann, S.H.E. Decontamination with vaporized hydrogen peroxide is effective against *Mycobacterium tuberculosis*, 448
Kang, S.A. *see* Kim, C.H.
Kaufmann, S.H.E. *see* Kahnert, A.
Kawanishi, M., Kojima, A., Ishihara, K., Esaki, H., Kijima, M., Takahashi, T., Suzuki, S. & Tamura, Y. Drug resistance and pulsed-field gel electrophoresis patterns of *Lactococcus garvieae* isolates from cultured *Seriola* (yellowtail, amberjack and kingfish) in Japan, 322
Khalid, A.M. *see* Rajoka, M.I.
Kijima, M. *see* Kawanishi, M.
Kim, C.H., Jang, E.K., Kim, S.H., Jang, K.H., Kang, S.A., Song, K.B., Kwon, O.S. & Rhee, S.K. Molecular cloning of levan fructotransferase gene from *Arthrobacter ureafaciens* K2032 and its expression in *Escherichia coli* for the production of difructose dianhydride IV, 228
Kim, C.H. *see* Kim, J.H.
Kim, C.-J. *see* Lee, H.B.
Kim, J.H., Lim, J.S., Kim, C.H. & Kim, S.W. Morphology and kinetics studies on cephalosporin C production by *Cephalosporium acremonium* M25 in a 30-l bioreactor using a mixture of inocula, 307
Kim, M.-K. *see* Ten, L.N.
Kim, S.-G., Choi, A., Ahn, C.-Y., Park, C.-S., Park, Y.-H. & Oh, H.-M. Harvesting of *Spirulina platensis* by cellular flotation and growth stage determination, 190
Kim, S.H. *see* Kim, C.H.
Kim, S.W. *see* Kim, J.H.
Kim, Y. *see* Lee, H.B.
Kishore, G.K., Pande, S. & Podile, A.R. Phylloplane bacteria increase seedling emergence, growth and yield of field-grown groundnut (*Arachis hypogaea* L.), 260
Kitahara, M., Sakata, S. & Benno, Y. Biodiversity of *Lactobacillus sanfranciscensis* strains isolated from five sourdoughs, 353
Kitts, C. *see* Samadpour, M.
Klesius, P.H. *see* Bader, J.A.
Klieve, A.V. *see* Burow, L.C.
Kobayashi, H. *see* Sun, L.
Kojima, A. *see* Kawanishi, M.
Korkeala, H. *see* Heikinheimo, A.
Krausse, R., Piening, K. & Ullmann, U. Inhibitory effects of various micro-organisms on the growth of *Helicobacter pylori*, 81
Krawczyk, J. *see* Jeleń, H.H.
Kubo, M. *see* Matsumiya, Y.
Kuznetsova, T.A. *see* Sobolevskaya, M.P.
Kwon, O.S. *see* Kim, C.H.

Laatsch, H. *see* Sobolevskaya, M.P.
Labana, S., Pandey, G. & Jain, R.K. Desulphurization of dibenzothiophene and diesel oils by bacteria, 159
Laddaga, R.A. *see* Plotkin, B.J.
Laplace, J.M. *see* Coton, M.
Larsen, T.O. *see* Jeleń, H.H.
Lawrence, M.L. *see* Liu, D.
Lebaron, P. *see* Garcia-Armisen, T.
Lee, H.B., Kim, Y., Jin, H.Z., Lee, J.J., Kim, C.-J., Park, J.Y. & Jung, H.S. A new *Hypocrea* strain producing harzianum A cytotoxic to tumour cell lines, 497
Lee, J.J. *see* Lee, H.B.
Lee, S.-T. *see* Ten, L.N.
Li, L., Shen, S., Jiang, P., Hong, J., Fan, J. & Huang, W. Usage of an intronic promoter for stable gene expression in *Saccharomyces cerevisiae*, 347
Li, Y. *see* Nie, W.
Lim, J.S. *see* Kim, J.H.
Lithwick, S. *see* Fadiel, A.
Liu, D., Lawrence, M.L. & Austin, F.W. Evaluation of PCR primers from putative transcriptional regulator genes for identification of *Staphylococcus aureus*, 69
Liu, T. *see* Wang, T.H.
Liu, Y. *see* Liu, Y.-Q.
Liu, Y.-Q., Liu, Y. & Tay, J.-H. Relationship between size and mass transfer resistance in aerobic granules, 312
Lleo, M.M., Bonato, B., Tafi, M.C., Signoretto, C., Pruzzo, C. & Canepari, P. Molecular *vs* culture methods for the detection of bacterial faecal indicators in groundwater for human use, 289
Łoś, J.M. *see* Łoś, M.

Łoś, M., Łoś, J.M., Blohm, L., Spillner, E., Grunwald, T., Albers, J., Hintsche, R. & Węgrzyn, G. Rapid detection of viruses using electrical biochips and anti-virion sera, 479
Low, F.L., Shaw, I.C. & Gerrard, J.A. The effect of *Saccharomyces cerevisiae* on the stability of the herbicide glyphosate during bread leavening, 133

McDonnell, G. *see* Kahnert, A.
Machuca, A. *see* Silva, E.M.
Macías, C.L. *see* Guerra, N.P.
Magan, N. *see* Hope, R.
Makridis, P., Martins, S., Vercauteren, T., Van Driessche, K., Decamp, O. & Dinis, M.T. Evaluation of candidate probiotic strains for gilthead sea bream larvae (*Sparus aurata*) using an *in vivo* approach, 274
Malacrinò, P., Tosi, E., Caramia, G., Prisco, R. & Zapparoli, G. The vinification of partially dried grapes: a comparative fermentation study of *Saccharomyces cerevisiae* strains under high sugar stress, 466
Margesin, R., Fauster, V. & Fonteyne, P.-A. Characterization of cold-active pectate lyases from psychrophilic *Mrakia frigida*, 453
Martínez-Cuesta, M.C., Gasson, M.J. & Narbad, A. Heterologous expression of the plant coumarate : CoA ligase in *Lactococcus lactis*, 44
Martins, S. *see* Makridis, P.
Massa, S. *see* Spano, G.
Matsumiya, Y., Nishikawa, K., Inouye, K. & Kubo, M. Mutational effect for stability in a conserved region of thermolysin, 329
Milagres, A.M.F. *see* Silva, E.M.
Miller, K.W., Ray, P., Steinmetz, T., Hanekamp, T. & Ray, B. Gene organization and sequences of pediocin AcH/PA-1 production operons in *Pediococcus* and *Lactobacillus* plasmids, 56
Miller-Fosmore, C.M. *see* Holt, S.M.
Mimura, A. *see* Ohtsuki, T.
Minnikin, D.E. *see* Waddell, S.J.
Monstein, H.-J. *see* Nowrouzian, F.L.
Montoya, J. *see* Rajabi, L.
Montville, T.J. *see* Bonnet, M.
de Morais, M.A. Jr *see* de Souza Liberal, A.T.
de Morais, J.O.F. *see* de Souza Liberal, A.T.
Morejon, A. *see* Plotkin, B.J.
Mulugeta, W. *see* Samadpour, M.

Naftolin, F. *see* Fadiel, A.
Nakajima, K., Nonaka, K., Yamamoto, K., Yamaguchi, N., Tani, K. & Nasu, M. Rapid monitoring of microbial contamination on herbal medicines by fluorescent staining method, 128
Narbad, A. *see* Martínez-Cuesta, M.C.
Nasu, M. *see* Nakajima, K.
Naterstad, K. *see* Rudi, K.
Navas-Mendez, J. *see* del Rio, M.L.
Nedkov, P. *see* Gousterova, A.
Nelis, H.J. *see* Cools, I.
Nie, W., Wei, G., Du, G., Li, Y. & Chen, J. Enhanced intracellular glutathione synthesis and excretion capability of *Candida utilis* by using a low pH-stress strategy, 378
Nishikawa, K. *see* Matsumiya, Y.
Nonaka, K. *see* Nakajima, K.
Norström, A. *see* Ottoson, J.
Nowrouzian, F.L., Monstein, H.-J., Wold, A.E. & Adlerberth, I. Effect of human milk on type 1 and P-fimbrial mRNA expression in intestinal *Escherichia coli* strains, 74
Nybroe, O. *see* Berg, J.

O'Sullivan, K. *see* Wasteson, Y.
Obbard, J.P. *see* Wong, K.W.
Oh, H.-M. *see* Kim, S.-G.
Ohtsuki, T., Suyanto, Yazaki, A., S., Ui, S. & Mimura, A. Production of large multienzyme complex by aerobic thermophilic fungus *Chaetomium* sp. nov. MS-017 grown on palm oil mill fibre, 111
Onda, T. *see* Yanagida, F.
Ottoson, J., Norström, A. & Dalhammar, G. Removal of micro-organisms in a small-scale hydroponics wastewater treatment system, 443

Pande, S. *see* Kishore, G.K.
Pandey, G. *see* Labana, S.
Parish, M. *see* Gocmen, D.
Park, C.-S. *see* Kim, S.-G.
Park, J.Y. *see* Lee, H.B.
Park, Y.-H. *see* Kim, S.-G.
Pastor, F.I.J. *see* Ruiz, C.
Patnayak, S. & Sree, A. Screening of bacterial associates of marine sponges for single cell oil and PUFA, 358
Pellé, E., Dousset, X., Prévost, H. & Drider, D. Specific molecular detection of *Carnobacterium piscicola* SF668 in cold smoked salmon, 364
Picozzi, C., Foschino, R., Heuvelink, A. & Beumer, R. Phenotypic and genotypic characterization of sorbitol-negative or slow-fermenting (suspected O157) *Escherichia coli* isolated from milk samples in Lombardy region, 491
Piening, K. *see* Krausse, R.
Plotkin, B.J., Morejon, A., Laddaga, R.A., Viselli, S.M., Tjhio, J. & Schreckenberger, P. Dehydroepiandosterone induction of increased resistance to vancomycin in *Staphylococcus aureus* clinical isolates (MSSA, MRSA), 249

Podile, A.R. *see* Kishore, G.K.
Prévost, H. *see* Pellé, E.
Primm, T.P. *see* Rajabi, L.
Prisco, R. *see* Malacrinò, P.
Pruzzo, C. *see* Lleo, M.M.

Rajabi, L., Courreges, C., Montoya, J., Aguilera, R.J. & Primm, T.P. Acetophenones with selective antimycobacterial activity, 212
Rajoka, M.I., Ferhan, M. & Khalid, A.M. Kinetics and thermodynamics of ethanol production by a thermotolerant mutant of *Saccharomyces cerevisiae* in a microprocessor-controlled bioreactor, 316
Ray, B. *see* Miller, K.W.
Ray, P. *see* Miller, K.W.
Regente, M.C., Giudici, A.M., Villalaín, J. & de la Canal, L. The cytotoxic properties of a plant lipid transfer protein involve membrane permeabilization of target cells, 183
Rhee, S.K. *see* Kim, C.H.
Roberts, M.C. *see* Samadpour, M.
Rodriguez-Barbosa, J.I. *see* del Rio, M.L.
Rodriguez-Ferri, E.F. *see* del Rio, M.L.
Rørvik, L.M. *see* Wasteson, Y.
Rouseff, R.L. *see* Gocmen, D.
Rowe, M.T. *see* Whan, L.
Rudi, K., Naterstad, K., Dromtorp, S.M. & Holo, H. Detection of viable and dead *Listeria monocytogenes* on gouda-like cheeses by real-time PCR, 301
Ruiz, C., Pastor, F.I.J. & Diaz, P. Isolation of lipid- and polysaccharide-degrading micro-organisms from subtropical forest soil, and analysis of lipolytic strain *Bacillus* sp. CR-179, 218

Saeed, A. *see* Iqbal, M.
Saito, H. *see* Sun, L.
Sakata, S. *see* Kitahara, M.
Samadpour, M., Roberts, M.C., Kitts, C., Mulugeta, W. & Alfi, D. The use of ribotyping and antibiotic resistance patterns for identification of host sources of *Escherichia coli* strains, 63
Sawer, I.K., Berry, M.I. & Ford, J.L. The killing effect of cryptolepine on *Staphylococcus aureus*, 24
Sayadi, S. *see* Ayed, L.
Schreckenberger, P. *see* Plotkin, B.J.
Seiler, P. *see* Kahnert, A.
Servais, P. *see* Garcia-Armisen, T.
Shaw, I.C. *see* Low, F.L.
Shen, S. *see* Li, L.
Shevchenko, L.S. *see* Sobolevskaya, M.P.
Shi, X.-Y. & Yu, H.-Q. Optimization of glutamate concentration and pH for H_2 production from volatile fatty acids by *Rhodopseudomonas capsulata*, 401
Shinohara, T. *see* Chen, Y.-S.
Shinohara, T. *see* Yanagida, F.
Shoemaker, C.A. *see* Bader, J.A.
Signoretto, C. *see* Lleo, M.M.
da Silva Filho, E.A. *see* de Souza Liberal, A.T.
Silva, E.M., Machuca, A. & Milagres, A.M.F. Effect of cereal brans on *Lentinula edodes* growth and enzyme activities during cultivation on forestry waste, 283
Simões, D.A. *see* de Souza Liberal, A.T.
Smetanina, O.F. *see* Sobolevskaya, M.P.
Sobolevskaya, M.P., Smetanina, O.F., Speitling, M., Shevchenko, L.S., Dmitrenok, P.S., Laatsch, H., Kuznetsova, T.A., Ivanova, E.P. & Elyakov, G.B. Controlling production of brominated cyclic depsipeptides by *Pseudoalteromonas maricaloris* KMM 636^T, 243
Song, K.B. *see* Kim, C.H.
de Souza Liberal, A.T., da Silva Filho, E.A., de Morais, J.O.F., Simões, D.A. & de Morais, M.A. Jr Contaminant yeast detection in industrial ethanol fermentation must by rDNA-PCR, 19
Spano, G., Beneduce, L., Terzi, V., Stanca, A.M. & Massa, S. Real-time PCR for the detection of *Escherichia coli* O157:H7 in dairy and cattle wastewater, 164
Speitling, M. *see* Sobolevskaya, M.P.
Spillner, E. *see* Łoś, M.
Sree, A. *see* Patnayak, S.
Stanca, A.M. *see* Spano, G.
Stein, M. *see* Kahnert, A.
Steinmetz, T. *see* Miller, K.W.
Sun, L., Fukamachi, T., Saito, H. & Kobayashi, H. Carbon dioxide increases acid resistance in *Escherichia coli*, 397
Suyanto, *see* Ohtsuki, T.
Suzuki, S. *see* Kawanishi, M.

Tafi, M.C. *see* Lleo, M.M.
Takahashi, T. *see* Kawanishi, M.
Tamura, Y. *see* Kawanishi, M.
Tani, K. *see* Nakajima, K.
Tay, J.-H. *see* Liu, Y.-Q.
Teanpaisan, R. *see* Kaewsrichan, J.
Ten, L.N., Im, W.-T., Kim, M.-K. & Lee, S.-T. A plate assay for simultaneous screening of polysaccharide- and protein-degrading micro-organisms, 92
Terzi, V. *see* Spano, G.
Thonart, Ph. *see* Bouzaine, T.
Ting, Y.P. *see* Wong, K.W.

Tishinov, K. *see* Gousterova, A.
Tjhio, J. *see* Plotkin, B.J.
Toh, B.A. *see* Wong, K.W.
Tom-Petersen, A. *see* Berg, J.
Tosi, E. *see* Malacrinò, P.

Uddin, M.N. *see* Al-Harbi, A.H.
Ui, S. *see* Ohtsuki, T.
Ullmann, U. *see* Krausse, R.
Urdaci, M.C. *see* Bouzaine, T.
Urdahl, A.M. *see* Wasteson, Y.
Uyttendaele, M. *see* Cools, I.

Van Driessche, K. *see* Makridis, P.
Vanselow, B.A. *see* Burow, L.C.
Vasileva-Tonkova, E. *see* Gousterova, A.
Vercauteren, T. *see* Makridis, P.
Villalaín, J. *see* Regente, M.C.
Viselli, S.M. *see* Plotkin, B.J.

Waddell, S.J., Chung, G.A., Gibson, K.J.C., Everett, M.J., Minnikin, D.E., Besra, G.S. & Butcher, P.D. Inactivation of polyketide synthase and related genes results in the loss of complex lipids in *Mycobacterium tuberculosis* H37Rv, 201
Walters, L.D. *see* Avery, S.M.
Wang, T.H., Zhong, Y.H., Huang, W., Liu, T. & You, Y.W. Antisense inhibition of xylitol dehydrogenase gene, *xdh1* from *Trichoderma reesei*, 424
Wasteson, Y., Johannessen, G.S., Bruheim, T., Urdahl, A.M., O'Sullivan, K. & Rørvik, L.M. Fluctuations in the occurrence of *Escherichia coli* O157:H7 on a Norwegian farm, 373
Wei, G. *see* Nie, W.
Węgrzyn, G. *see* Łoś, M.
West, T.P. Regulation of pyrimidine synthesis in *Pseudomonas resinovorans*, 473
Whan, L., Ball, H.J., Grant, I.R. & Rowe, M.T. Development of an IMS–PCR assay for the detection of *Mycobacterium avium* ssp. *paratuberculosis* in water, 269
Williams, T. *see* Gocmen, D.
Wiseman, A. Avoidance of oxidative-stress perturbation in yeast bioprocesses by proteomic and genomic biostrategies?, 37
Wold, A.E. *see* Nowrouzian, F.L.
Wong, K.W., Toh, B.A., Ting, Y.P. & Obbard, J.P. Biodegradation of phenanthrene by the indigenous microbial biomass in a zinc amended soil, 50

Xue, J.-L., Cai, Q.-X., Zheng, D.-S. & Yuan, Z.-M. The synergistic activity between Cry1Aa and Cry1c from *Bacillus thuringiensis* against *Spodoptera exigua* and *Helicoverpa armigera*, 460

Yamaguchi, N. *see* Nakajima, K.
Yamamoto, K. *see* Nakajima, K.
Yanagida, F., Chen, Y., Onda, T. & Shinohara, T. Durancin L28-1A, a new bacteriocin from *Enterococcus durans* L28-1, isolated from soil, 430
Yanagida, F. *see* Chen, Y.-S.
Yazaki, S. *see* Ohtsuki, T.
You, Y.W. *see* Wang, T.H.
Yu, H.-Q. *see* Shi, X.-Y.
Yuan, J.M. *see* Han, J.R.
Yuan, Z.-M. *see* Xue, J.-L.

Zapparoli, G. *see* Malacrinò, P.
Zhao, W.J. *see* Han, J.R.
Zheng, D.-S. *see* Xue, J.-L.
Zhong, Y.H. *see* Wang, T.H.